



# SCHOOL BOARD OF POLK COUNTY

P.O. BOX 391  
BARTOW, FLORIDA 33831

1915 SOUTH FLORAL AVENUE  
BARTOW, FLORIDA 33830

(863) 534-0500 • SUNCOM 515-1321 • FAX (863) 534-0705

May 31, 2007

**Board Members**

CHAIRMAN  
HAZEL SELLERS  
DISTRICT 3

FRANK J. O'REILLY  
DISTRICT 1

LORI CUNNINGHAM  
DISTRICT 2

BRENDA C. REDDOUT, Ph.D.  
DISTRICT 4

KAY FIELDS  
DISTRICT 5

MARGARET LOFTON  
DISTRICT 6

C. J. ENGLISH, III  
DISTRICT 7

C. WESLEY BRIDGES, II  
General Counsel

**Administration**

GAIL F. MCKINZIE, Ph.D.  
Superintendent of Schools

ADDENDUM #01

Page 1 of 6

To: All Vendors

From: Scott Clanton  
Director of Purchasing and Warehousing

Subject: Bid Number 106-MHH-0607, Term - Contract for Gym  
Floor Refinishing

This addendum is issued to reflect changes and clarifications in specifications for the above bid.

All additions are in brackets ([ ]), **bold type** and underlined for easy identification. All deletions are indicated by strikethrough (~~strikethrough~~).

**NOTE:**

**Among other things, this addendum reflects changes on the Bid Form. ALL VENDORS BIDDING MUST SIGN AND RETURN THIS ADDENDUM. PLEASE COMPLETE ALL APPLICABLE SECTIONS OF THIS ADDENDUM, SIGN AND RETURN THIS ADDENDUM IN ITS ENTIRETY WITH YOUR SEALED BID PACKAGE IN ORDER FOR YOUR BID TO BE ACCEPTED. PLEASE REPLACE PAGES 15 AND 16 OF THE INVITATION TO BID WITH PAGES 4, 5 AND 6 OF THIS ADDENDUM FILLING IN ALL SPACES WHERE A UNIT COST IS REQUIRED. If you already submitted a bid please complete this addendum filling in all prices, sign and return by the deadline for receipt of sealed bids in order for your bid to be accepted.**

\_\_\_\_\_  
VENDOR NAME

\*\*\*\*\* \_\_\_\_\_ \*\*\*\*\*  
PRINT OR TYPE SIGNATURE AND TITLE

\*\*\*\*\* \_\_\_\_\_ \*\*\*\*\*  
WRITTEN SIGNATURE

ADDENDUM #01 (continued)

Bid Number 106-MHH-0607, Term - Contract for Gym Floor Refinishing

Page 2 of 6

Question:

1. What if the vendor can't complete projects by deadline stated in Section Y. 3. of the special terms and Conditions?

Answer:

*To be considered for award of the Term Contract vendors must bid all five sites. Add your estimated time of completion to the anticipated contract award date on page one (1) of the Invitation to Bid document. In the event a bidder submits a date that is after the completion date in the bid form they can still be considered for an award of the Term Contract but not for an award of that initial site(s).*

Question:

2. Will awarded vendor(s) be allowed access to the sites on weekends?

Answer:

*Yes arrangements will be made with the administration at each site to allow weekend work.*

Question:

3. Will bidders be required to use chemicals to strip floors on the initial projects?

Answer:

*No.*

Question:

4. Who will furnish electrical pigtailed for equipment?

Answer:

*The School Board will provide the electrical pigtail connections with prior arrangements with Mr. Johnny James. Mr. James can be reached via phone at 863-534-0873 or fax 863-519-7667*

Question:

5. Will interested bidders be allowed to examine each site?

Answer:

*Yes. During the Pre-Bid Conference Interested bidders were given a copy of the School Board of Polk County Schools Directory. Bidders may visit each site. They will need to check in at the main administrative office and request an escort to the gym or they can contact Mr. James at the numbers listed above and arrange a walkthrough at a later date.*

Question:

6. Will bleacher movement be required?

Answer:

*No. Retracting the bleachers to the wall will be sufficient.*

Question:

7. What about minor repairs to gym floors?

Answer:

*We added a separate line item on the BID FORM for each site with square foot pricing for damaged area(s) up to 100 square feet. This cost will be included in the bid tabulation based on the square foot pricing multiplied by 100.*

Please note these changes to Page 12 on the Invitation To Bid.

2. **Scope of Work:**

- a. Awarded bidder shall sand smooth gym floor and furnish and apply one coat of oil modified sealer, provide game line stripping to match all existing game lines and if applicable any and all existing logos (color and texture to match existing game lines and logos) as per the specifications listed below.
- b. Awarded bidder shall furnish and apply [an additional] three coats of oil modified finish as per the specifications listed below.

Please note these changes to Pages 13 and 14 on the Invitation To Bid.

B. Typical finish is to be a ~~three (3)~~ [four (4)] coat system.

1. Sealing: apply one (1) coat of BonaKemi Pacific Sport Sealer. Using a clean applicator, apply a liberal and uniform coat with a minimum coverage of approximately 500 sq. ft. per gallon. Allow to dry thoroughly, using a moisture meter to check dryness. When dry, buff with a green abrasive pad to prepare surface for game lines, borders, etc.
2. Stage Floor: In lieu of standard clear sealer, apply one or more coats of stain to achieve appropriate level of tint to match approved sample.

C. Game Lines, Borders and Logos: apply after sealer and before succeeding coat(s). Layout in accordance with drawings and current rules of National Federation of State High School Association (NFSHA). Lines shall be straight with sharp edges of colors as selected. Prepare lines by masking with a precision taping machine or striping tool. When using masking tape, tape shall be pulled as soon as the paint starts to dry or set. Apply as many coats as necessary to create a uniform and solid opaque line, but no less than ~~two (2)~~ [three (3)] coats. After game markings have dried thoroughly, lightly abrade lines with a green abrasive pad and clean floor surface (do not use steel wool). Submit layout to PCSB for approval.

BID FORM

LOCATION	DESCRIPTION	PRICE
----------	-------------	-------

**1. Frostproof Middle-Senior**

1000 North Palm Ave  
Frostproof, FL 33843

Gym and Stage Floor - \$ \_\_\_\_\_  
 Sand and refinish as per the specifications listed in Section Y. of the Special Terms and Conditions.  
 Completed no later than July 31, 2007.

[Repairs to flooring section(s) not to exceed 100 square feet] [\$ \_\_\_\_\_ /sq. ft.]

ESTIMATED TIME FOR COMPLETION AFTER RECEIPT OF PURCHASE ORDER: \_\_\_\_\_ DAYS.

State Warranty Offered: \_\_\_\_\_

**2. Jewett Middle Academy**

601 Avenue T Northeast  
Winter Haven, FL 33881

Gym Floor - \$ \_\_\_\_\_  
 Sand and refinish as per the specifications listed in Section Y. of the Special Terms and Conditions.  
 Completed no later than July 31, 2007.

[Repairs to flooring section(s) not to exceed 100 square feet] [\$ \_\_\_\_\_ /sq. ft.]

ESTIMATED TIME FOR COMPLETION AFTER RECEIPT OF PURCHASE ORDER: \_\_\_\_\_ DAYS.

State Warranty Offered: \_\_\_\_\_

BID FORM continued

LOCATION	DESCRIPTION	PRICE
----------	-------------	-------

**3. Southwest Middle School**

2815 Eden Parkway  
Lakeland, FL 33803

**Gym Floor -** \$ \_\_\_\_\_

Sand and refinish as per the specifications listed in Section Y. of the Special Terms and Conditions.  
Completed no later than July 31, 2007.

[Repairs to flooring section(s) not to exceed 100 square feet] [\$ \_\_\_\_\_ /sq. ft.]

ESTIMATED TIME FOR COMPLETION AFTER RECEIPT OF PURCHASE ORDER: \_\_\_\_\_ DAYS.

State Warranty Offered: \_\_\_\_\_

**4. Winter Haven Senior**

600 6<sup>th</sup> Street Southeast  
Winter Haven, FL 33880

**Gym Floor -** \$ \_\_\_\_\_

Sand and refinish as per the specifications listed in Section Y. of the Special Terms and Conditions.  
Work shall commence after August 6, 2007 and be completed by September 30, 2007

[Repairs to flooring section(s) not to exceed 100 square feet] [\$ \_\_\_\_\_ /sq. ft.]

ESTIMATED TIME FOR COMPLETION AFTER RECEIPT OF PURCHASE ORDER: \_\_\_\_\_ DAYS.

State Warranty Offered: \_\_\_\_\_

ADDENDUM #01 (continued)

Bid Number 106-MHH-0607, Term - Contract for Gym Floor Refinishing

Page 6 of 6

BID FORM continued

LOCATION	DESCRIPTION	PRICE
<b>5. George Jenkins Senior</b>	6000 Lakeland Highlands Road Lakeland, FL 33813	<b>Gym Floor -</b> \$ _____ Sand and refinish as per the specifications listed in Section Y. of the Special Terms and Conditions. Work shall commence after August 6, 2007 and be completed by September 30, 2007  <u>[Repairs to flooring section(s) not to exceed 100 square feet]</u> [\$ _____ /sq. ft.]

ESTIMATED TIME FOR COMPLETION AFTER RECEIPT OF PURCHASE ORDER: \_\_\_\_\_ DAYS.

State Warranty Offered: \_\_\_\_\_

NOTE: Sign the "Bidder's Acknowledgment" section on Page 1 of our "Invitation to Bid". Return the original of the Invitation to Bid and retain a photocopy for your files